floorté | PRO series

SET IN STONE 720C PLUS

SPC vinyl tile

597 Cascade

shawfloors.com

Shaw FLOORS

For reference purposes only if printed or downloaded.

SET IN STONE 720C PLUS

floorté | PRO series

	US Units	Metric Units
Style Number	**0834V**	
Construction	SPC	
Profile	Fold-N-Tap	
Size	12" x 24"	30.48 cm x 60.96 cm
Overall Thickness	0.256"	6.5 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Finish	ScuffResist	
Edge Description	Bevel	
Area per Carton	16 sq ft	1.49 sq m
Area per Pallet	1056 sq ft	98.11 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Color Variation	Yes	
Ortho-Phthalates Free	Yes	
Embossed In Register	Yes	
FloorScore Certified	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	10 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Features

Set in Stone is a savvy mix of marble, polished stone and linen inspired visuals. Each tile has visual grout applied for a quick installation that does not require traditional grout. It is 100% waterproof for a beautiful, high-performing floor and features Soft Silence™ acoustical pad for noise reduction and added comfort.

Colors

147 Glacier

148 Prairie

162 Arid

581 Ridge

583 Slab

585 Boulder

597 Cascade

For reference purposes only if printed or downloaded.

SET IN STONE 720C PLUS

floorté | PRO series

Coordinating Trim



Baby Threshold*

VSBTH | 94"

T-Molding*

VSTM6 | 94"



Multi-Purpose Reducer*

VSMP6 | 94"

Quarter Round

VSQT6 | 94"

Overlap Stairnose

VSST6 | 94"

*Packaged with molding track

Coordinating Metal Trim







Finish	Reducer	T-Mold	Stair Cap
Satin Silver	134SA	137SA	131SA
Satin Nickel	135SA	138SA	132SA
Dark Bronze	136SA	139SA	133SA

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

For reference purposes only if printed or downloaded.